Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 10, June 10, 2010

Crop Report for the Period June 1 to 7, 2010

Saskatchewan farmers have 70 per cent of the 2010 crop seeded, according to Saskatchewan Agriculture's Weekly Crop Report.

The five-year average for this time of year is 96 per cent complete. The western regions made the most progress at seeding during the past week. The majority of the province is dealing with very wet soil conditions. Seeding has nearly ground to a halt in many areas, with very little seeding progress made over the past three weeks.

The south eastern region has 71 per cent of seeding complete, south western 83 per cent, east central 51 per cent, west central 84 per cent, north eastern 47 per cent and the north western has 88 per cent of the 2010 crop in the ground.

Since the beginning of April, many areas in the province have recorded precipitation totals over seven inches, with other areas reporting over 11 inches of precipitation.

Across the province, cropland topsoil moisture is rated as 56 per cent surplus and 44 per cent adequate. Topsoil moisture on hay land and pasture is rated as 31 per cent surplus and 69 per cent adequate. The north eastern and east central regions are reporting that cropland topsoil moisture is 96 and 84 per cent in surplus, respectively.

Across the province, 49 per cent of the fall cereals are in the tillering stage, 26 per cent in the jointed stage, 17

Seeding Progress in SK

Per cent seeded	All Crops
June 7/10	70
5 year avg. (2005-2009)	96
June 8/09	99
June 8/08	99
June 10/07	96
June 10/06	94
June 6/05	93

Saskatchewan Crop Insurance Corporation Report – June 10

Crop Insurance customers should note the following important dates: Effective June 10, full yield-loss coverage is applicable to winter wheat and fall rye to be grazed and/or cut for feed.

June 10 is also the final day to finalize claims on over-winter extensions.

While the deadline to plant processing and table potatoes is June 10, the deadline to plant seed potatoes is June 15

Producers in west-central, Moose Jaw and Estevan areas can seed and insure all crops, except chickpeas, by June 20. In the rest of the province, crops all crops, except chickpeas, can be seeded by June 15. In these same areas, customers can seed and insure barley, oats, mustard, peas and polish canola up to June 20. If Crop Insurance customers are still unable to seed by the new deadlines, they can access the Unseeded Acreage benefit as of June 20.

The deadline to submit establishment benefit claims and gopher damage claims (excluding greenfeed) is June 20.

Forage acres with the Forage Establishment Benefit Option must be seeded by June 20.

The Saskatchewan Crop Insurance Corporation will not accept yield-loss liability for any spring crops seeded after June 20, with full yield-loss coverage beginning the following day on established spring and fall-seeded crops (excluding greenfeed).

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA – SASKATCHEWAN
Crop Insurance

per cent in the shot blade stage and eight per cent in the heading stage.

Of the spring cereals that have been seeded, 38 per cent have yet to emerge, 52 per cent have emerged and 10 per cent are tillering. Thirty-nine per cent of the canola and mustard has yet to emerge, 46 per cent has emerged, 14 per cent is in the seedling stage and one per cent is in the rosette stage. Twenty-four per cent of the province's pulse crops are still in the ground, 56 per cent have emerged and 20 per cent are in the vegetative stage. Sixty-two per cent of the flax has yet to emerge, 33 per cent has emerged and five per cent is in the seedling stage.

Crop damage is mostly attributed to flooding and frost. Hail damage was reported in areas in the west central, east central and north western regions. Leaf diseases, wireworms and cutworms have been reported.

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Seeding is between 40 to 99 per cent complete, depending on the area, with the average across the region being approximately 71 per cent complete. Some farmers managed to get into the fields in between rain showers. The region received an average of 25 mm of rain. The Manor area received 43 mm, the Maryfield area 38 mm, the Moose Jaw area 34 mm, the Radville area 26 mm and the Vibank and Wilcox areas received 1 and 8 mm, respectively.

SE region Crop District	% seeded (June 7/10)	% seeded (May 31/10)	% seeded (June 8/09)
1A	87	76	98
1B	68	67	98
2A	65	63	98
2B	68	56	99
3ASE	70	70	99

Topsoil moisture conditions on cropland are reported as 58 per cent surplus and 42 per cent adequate. On hay land and pasture, topsoil moisture is rated as 22 per cent surplus and 78 per cent adequate. In Crop District 1B, 76 per cent of the cropland has surplus topsoil moisture.

Flooding is damaging emerging crops. There were a couple reports of the leaf diseases ascochyta blight and sclerotinia.

Farmers are changing their seeding plans. Chem-fallow or green feed is being seriously considered as there is not much time left for seeding. Farmers are controlling weeds wherever and whenever possible, although working in the wet fields is difficult. Sprayers are getting stuck and leaving large tire ruts.

Crops are emerging in good condition for the most part, although some that are showing stress from excess moisture. A tornado was reported at Katepwa Lake and damage is unknown. Hay land and pasture is in good condition. Sunshine and heat are needed.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

SW Region Crop District	% seeded (June 7/10)	% seeded (May 31/10)	% seeded (June 8/09)
3ASW	66	44	99
3AN	67	51	100
3BS	89	69	99
3BN	91	72	99
4A	89	80	99
4B	94	82	98

Last week's rain showers missed the southwest for the most part and significant seeding progress was made. Across the region, seeding is between 38 and 100 per cent complete, with the regional average being 83 per cent. The region received an average of 10 mm of rain, although that ranged from 28 mm in the Glentworth area to 17 mm in Gravelbourg, 29 mm in Kincaid and 5 mm in Consul. The Elrose area received heavy rain and hail.

Cropland topsoil moisture is rated as 24 per cent surplus and 76 per cent adequate. Hay land and pasture topsoil moisture conditions are 10 per cent surplus, 88 per cent adequate and two per cent short. In Crop District 3AN, 59 per cent of the cropland has surplus topsoil moisture.

Crop damage has been caused by flooding and frost. Farmers are switching to earlier-maturing crops and varieties. Some are considering chem-fallow if they cannot get the crop in soon. Crop growth and development is slow, with some crops showing signs of stress from excess moisture. There are some emergence concerns about crops that were seeded before the heavy rains. Those producers who can get into the field are rolling pulses, controlling weeds, picking rocks and hauling grain. Livestock producers are looking forward to a good hay crop. Pastures are in good condition.

East-Central Saskatchewan (Crop Districts 5 and 6a)

EC Region Crop District	% seeded (June 7/10)	% seeded (May 31/10)	% seeded (June 8/09)
5A	58	51	95
5B	29	28	97
6A	65	46	98

Farmers in the region have 51 per cent of the crop in the ground, although that ranges between five per cent and 90 per cent, depending on the area. Some farmers located on higher ground or lighter soil have been able to seed in between rain showers. The region continues to struggle with saturated soil and continuous rain. There has been very little farming activity for a few weeks now. The region received an average of 24 mm of rain during the week. The Jedburgh area recorded 35 mm, the Kamsack area 53 mm and the Leroy area 44 mm. Since April 1, between 130 and 293 mm of rain has fallen on the region.

Topsoil moisture on cropland is reported as 84 per cent surplus and 16 per cent adequate. Hay land and pasture topsoil moisture is rated as 64 per cent surplus and 36 per cent adequate. Ninety-two and 96 per cent of the crop land in crop districts 5A and 5B, respectively, have surplus moisture.

Flooding is damaging crops. Frost and hail was reported in the Leroy area.

Crops are emerging, although many in low-lying areas are flooded and others are stressed from excess moisture. Farmers are seeding what they can in between the rain. Machinery is making ruts in the field and much is getting stuck. Weeds are becoming a problem as sprayers cannot get into the fields. The seeding window is closing, and some producers are indicating that, by the time the land can support equipment, it will be too late to seed anything. Others producers are reporting that

seeding is done for the year. Some have put in canola with a Valmar and harrow. Hay fields and pastures are doing very well.

West-Central Saskatchewan (Crop Districts 6B and 7)

WC Region Crop District	% seeded (June 7/10)	% seeded (May 31/10)	% seeded (June 8/09)
6B	73	56	98
7A	87	66	99
7B	94	77	99

On average, 84 per cent of the crop is in the ground, although that ranges from 53 to 100 per cent complete, depending on the area. For the most part, the heavy rains missed the region last week. The region received an average of 9 mm of rain during the week. The Outlook area received 39 mm, the Smiley area recorded 31 mm and the Major area received 18 mm. Most crop reporters recorded less than 12 mm. Since April 1, the region has received between 111 mm and 273 mm of rain.

Cropland topsoil moisture is rated as 35 per cent surplus and 65 per cent adequate. Pasture and hay land topsoil moisture is rated as 32 per cent surplus and 68 per cent adequate.

Floods, frost and hail damaged crops. Frost was reported in the Marengo, Herschel and Conquest areas. Hail was reported in the Outlook, Herschel, Tramping Lake and Unity areas. Wireworm damage was also reported. Funnel clouds were spotted in the Outlook area.

Fields are quite wet, which makes seeding and weed control difficult. CD 6B is the wettest of the region's three crop districts. In CD 6B, crops are emerging, but are looking stressed from the excess moisture. CD 7A, however, reported fairly good growing conditions during the past week. Farmers had a three days of good seeding before showers slowed work down. Some farmers were able to get into the fields to control weeds. Hay land and pastures are looking very good.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

NE Region Crop District	% seeded (June 7/10)	% seeded (May 31/10)	% seeded (June 8/ 09)
8A	51	48	99
8B	46	43	100
9AE	43	40	100

The region has 47 per cent of the crop seeded, although that ranging from 20 to 75 per cent complete, depending on the area. Rain throughout the week kept farmers from making much seeding progress. Producers are wondering how many seeded acres will be damaged or lost to flooding. The region received an average of 32 mm of rain. The Codette area received 56 mm, the Lake Lenore area 57 mm and the Prince Albert area received 41.5 mm. The Nipawin and Melfort areas recorded 15 and 1 mm, respectively. Since April 1, between 125 and 278 mm of rain has fallen on the region.

Cropland topsoil moisture is rated as 96 per cent surplus and four per cent adequate. Hay land and pasture topsoil moisture is rated as 89 per cent surplus and 11 per cent adequate.

Floods have damaged crops. Cutworms were reported in the Vonda area.

Many crop reporters are indicating that seeding is done for 2010. There were reports of some farmers returning seed to retail outlets. Fields are saturated and it will be too late to seed by the

time they dry up. Crops are flooded and some may not recover. Some farmers were trying to broadcast and harrow canola. There are some reports of aerial spraying on crops that were seeded early.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

NW Region Crop District	% seeded (June 7/10)	% seeded (May 31/10)	% seeded (June 8/09)
9AW	91	75	98
9B	85	82	99

Seeding in the northwest is 88 per cent complete, although that ranges from 50 to 99 per cent, depending on the area. The region received spotty showers throughout the week, recording an average of 25 mm of rain. The Debden area received 46 mm, the Dorintosh area 34 mm, the St.Walburg area 3 mm and the Duck Lake area 6 mm. Since April 1, between 143 and 241 mm of rain has fallen on the region.

Topsoil moisture conditions for cropland are 35 per cent surplus and 65 per cent adequate. Pasture and hay land conditions are three per cent surplus and 96 per cent adequate and one per cent short.

The majority of crop damage was caused by flooding. Frost was reported in the Speers and Pierceland areas, with some damage being reported on canola. Hail was reported in the Radisson area.

Crops are emerging and looking good for the most part. Some heat and sun would be appreciated to get things going. Weed control is continuing. Some crops in the areas of heavy rainfall are yellowing from excess moisture stress. Pastures and hay crops look good. Dugouts are full.

Saskatchewan Crop Development
(per cent at each stage of the crops that have been seeded)

Spring Cereals	**Pre-emerge**	**Emerge**	**Tillering**	**Jointed**
Jun 7/10 avg	**39**	**52**	**10**	**0**
Southeast	34	52	13	0
Southwest	45	42	13	0
East central	45	49	6	0
West central	38	54	9	0
Northeast	38	60	7	0
Northwest	30	65	8	0
Flax	**Pre-emerge**	**Emerge**	**Seedling**	**Stem ext**
Jun 7/10 avg	**61**	**33**	**5**	**0**
Southeast	54	38	8	0
Southwest	79	19	1	0
East central	67	30	2	0
West central	69	31	0	0
Northeast	62	30	2	0
Northwest	48	24	0	0

Canola & Mustard	Pre-emerge	Emerge	Seedling	Rosette
Jun 7/10 avg	**39**	**46**	**14**	**1**
Southeast	35	43	19	2
Southwest	27	42	27	4
East central	45	41	14	1
West central	36	50	13	0
Northeast	44	48	9	0
Northwest	29	56	13	1
Pulse Crops	**Pre-emerge**	**Emerge**	**Vegetative**	
June 7/10 avg	**24**	**56**	**20**	
Southeast	25	50	24	
Southwest	26	53	21	
East central	26	54	19	
West central	22	62	16	
Northeast	20	65	15	
Northwest	5	67	27	
Fall Crops	**Tillering**	**Jointed**	**Shot blade**	**Heading**
June 7/10 avg	**48**	**26**	**17**	**7**
Southeast	50	32	8	9
Southwest	42	18	31	10
East central	53	36	10	1
West central	38	25	10	26
Northeast	N/A	N/A	N/A	N/A
Northwest	25	11	0	0

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 1 to 7, 2010

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	173.0
	2	Mount Pleasant	18	116
	3	Enniskillen	26	126
	33 A	Moose Creek	N/A	39
	33 B	Moose Creek	30	148
	34	Browning	31	171
	61	Antler	39	186
	63	Moose Mountain	43	150
	64	Brock	35	162
	65	Tecumseh	28	189
1B	91	Maryfield	38	173
	92	Walpole	32	149
	93	Wawken	26	173
	95	Golden West	23	169
	122	Martin	43	258
	123 A	Silverwood	27	141
	123 B	Silverwood	N/A	N/A
	124	Kingsley	16	136
	125	Chester	20.6	152
	151 A	Rocanville	23	182
	151 B	Rocanville	31	223
	153	Willowdale	35	137
	154	Elcapo	34	201
	155	Wolseley	20	211
2A	66	Griffin	39	211
	67	Weyburn	30	179
	68	Brokenshell	23	173
	69	Norton	24	240
	96	Fillmore	23	148
	97	Wellington	16	114
2B	127 A	Francis	21.5	154
	127 B	Francis	0.8	86
	129	Bratt's Lake	8	123
	156 A	Indian Head	9	176
	156 B	Indian Head	14	161
	157	South Qu'appelle	N/A	NIL
	160	Pense	17	157
	161	Moose Jaw	34	191
	191	Marquis	19	176
3ASE	38 A	Launer	26	185
	38 B	Launer	20	172
	39 A	The Gap	23	174
	39 B	The Gap	26	247
3ASW	10	Happy Valley	24	233
	11	Hart Butte	N/A	NIL
	12	Poplar Valley	14	166
	40	Bengough	17	185
	42	Willow Bunch	26	209
	43	Old Post	15	147
	44	Waverley	28	189
	70	Key West	11	174
	71 A	Excel	16	192
	71 B	Excel	16	164
	73 A	Stonehenge	23.6	198
	73 B	Stonehenge	25	262
	74	Wood River	26	136
3AN	101	Terrell	14	223
	102	Lake Johnston	14.99	136
	103	Sutton	17	186
	134	Shamrock	14	176
	164	Chaplin	12	158
	193	Eyebrow	11	178
	194	Enfield	NIL	195
3BS	17	Val Marie	6	155
	45	Mankota	11	169
	75 A	Pinto Creek	9	145
	75 B	Pinto Creek	29	171
	76 A	Auvergne	8	130
	76 B	Auvergne	5	116
	77	Wise Creek	5	143
	78 A	Grassy Creek	NIL	165
	78 B	Grassy Creek	NIL	165
	78 C	Grassy Creek	N/A	197
	105	Glenbain	8	143
	106	Whiska Creek	8	101
	107	Lac Pelletier	3	128
	108	Bone Creek	2	162
3BN	135	Webb	9	168
	165	Morse	N/A	NIL
	166	Excelsior	10	236
	167	Sask. Landing	7.2	167
	168	Riverside	6	175
	226	Victory	7	190
	228	Lacadena	2.5	129
	255	Coteau	N/A	NIL
	257	Monet	5	142

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	NIL	173
	49 A	White Valley	N/A	137
	51	Reno	5	137
	79	Arlington	3	155
	109	Carmichael	N/A	186
	110	Piapot	NIL	175
	111	Maple Creek	2	201
4B	139	Gull Lake	2	160
	141	Big Stick	3	214
	142	Enterprise	N/A	226
	169	Pittville	2	166
	171	Fox Valley	5	164
	229	Miry Creek	10	10
	231	Happyland	4	98
5A	181	Langenberg	15	170
	183	Fertile Belt	N/A	150
	185	Mcleod	17	143
	186	Abernethy	16	157
	211	Churchbridge	28	199
	213	Saltcoats	23	184
	216	Tullymet	30	147
	241	Calder	35	176
	243	Wallace	25	128
	245 A	Garry	35	225
	245 B	Garry	25	229
	246	Ituna Bon Accord	22	162
	247	Kellross	25	200
	248	Touchwood	13	122
5B	271	Cote	53	170
	275	Insinger	N/A	NIL
	276	Foam Lake	44	262
	277	Emerald	21	245
	278	Kutawa	N/A	NIL
	305	Invermay	30	243
	307	Elfros	33	293
	308	Big Quill	22	187
	333	Clayton	N/A	133
	335	Hazel Dell	43	190
	336	Sasman	49	231
	337	Lakeview	52	226
	338	Lakeside	20	222
	366	Kelvington	32	175
6A	190 A	Dufferin	8	130
	190 B	Dufferin	14	183
	190 C	Dufferin	3	145
	190 D	Dufferin	18	238
	219 A	Longlaketon	11	141
	219 B	Longlaketon	3	154
	220	Mckillop	9	141
	221	Sarnia	16.5	182
	222	Craik	12	192
	251	Big Arm	9	201
	252	Arm River	14	169
	279	Mount Hope	15	169
	280	Wreford	16	218
	282	McCraney	23	244
	309	Prairie Rose	42	245
	313	Lost River	23	194
	339	Leroy	44.4	259
	340	Wolverine	34	260
	341	Viscount	20	213
	343	Blucher	15	229
6B	253	Willner	14	172
	283	Rosedale	20	263
	284	Rudy	39	268
	285	Fertile Valley	7	209
	286	Milden	6	180
	314	Dundurn	12	209
	344	Corman Park	10	206
	346	Perdue	8	258
	376 A	Eagle Creek	16	273
	376 B	Eagle Creek	5	230
7A	260	Newcombe	NIL	111
	260 B	Newcombe	5	52
	287	St. Andrews	NIL	133
	288	Pleasant Valley	10	153
	290 A	Kindersley	3	103
	290 B	Kindersley	5	129
	292	Milton	2	105
	317 A	Marriott	3	205
	317 B	Marriott	NIL	212
	318 A	Mountain View	2	157
	318 B	Mountain View	9	214
	320	Oakdale	12	154
	321	Prairiedale	31	153

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	6	188
	347 B	Biggar	N/A	174
	350 A	Manposa	3	136
	350 B	Manposa	6	143
	351	Progress	5	185
	352	Heart's Hill	18	182
	377	Glenside	5	260
	378 A	Rosemount	2	157
	378 B	Rosemount	3	217
	379	Reford	6	191
	380	Tramping Lake	5	154
	381	Grass Lake	N/A	203
	382	Eye Hill	5	175
	409	Buffalo	11	257
	410	Round Valley	8	171
	411	Senlac	4	186
8A	395	Porcupine	45	177
	397	Barrier Valley	50.2	218
	428	Star City	16	179
	456	Arborfield	27	135
	457	Connaught	42	240
	458	Willow Creek	56	199
	486	Moose Range	15	170
8B	369	St. Peter	57	230
	370	Humboldt	49	275
	371	Bayne	30	241
	372	Grant	15	222
	402	Fish Creek	15	197
	429 A	Flett's Springs	1	125
	429 B	Flett's Springs	18	181
	430	Invergordon	N/A	43
	459	Kinistino	30	235
9AE	461	Prince Albert	41.5	261
	488	Torch River	32	278
	520	Paddockwood	N/A	67
9AW	406	Mayfield	4	174
	435	Redberry	10	241
	436	Douglas	7	143
	463	Duck Lake	6	180
	464	Leask	17	265
	467	Round Hill	N/A	NIL
	494	Canwood	46	229
	496	Spiritwood	11	241
	497	Medstead	N/A	159
9B	438	Battle River	N/A	209
	440	Hillsdale	5	192
	442	Manitou Lake	18.1	183
	498 A	Parkdale	N/A	195
	498 B	Parkdale	N/A	113
	499	Mervin	17.6	156
	501 A	Frenchman Butte	3	137
	501 B	Frenchman Butte	N/A	169
	501 C	Frenchman Butte	17	185
	502	Britannia	12	189
	561	Loon Lake	18	185
	588 A	Meadow Lake	178	345
	588 B	Meadow Lake	25	209
	588 C	Meadow Lake	12	224
	588 D	Meadow Lake	34.5	182
	622	Beaver River	14	221

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Weekly Rainfall

for the week ending June 7, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 10, 2010

Weekly Rainfall

for the week ending June 7, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 10, 2010

Cumulative Rainfall

From: April 1, 2010
To: June 7, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 10, 2010

Cropland Topsoil Moisture Conditions

June 8, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 9, 2010

Cumulative Rainfall

From: April 1, 2010
To: June 7, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 10, 2010

Cropland Topsoil Moisture Conditions

June 8, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 9, 2010

Hay and Pasture Topsoil Moisture Conditions

June 8, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 9, 2010

Hay and Pasture Topsoil Moisture Conditions

June 8, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone: 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 9, 2010